ELSEVIER

Journal of Statistical Planning and Inference 84 (2000) 353–354

journal of statistical planning and inference

www.elsevier.com/locate/jspi

# Author Index Volume 84 (2000)*


| | | |
|---|---|---|
| Balakrishnan, N., *see* Y. Ma | (1–2) | 111–120 |
| Beder, J.H., Erratum to "Conjectures About Hadamard Matrices" [J Statist. Plann. Inference 72 (1998) 7–14] | (1–2) | 343 |
| Chen, M.-H., J.G. Ibrahim and Q.-M. Shao, Power prior distributions for generalized linear models | (1–2) | 121–137 |
| Dharmadhikari, A.A., A.D. Dharmadhikari and K.R. Shah, Comparison of two experimental designs in reliability studies | (1–2) | 237–248 |
| Dharmadhikari, A.D., *see* A.A. Dharmadhikari | (1–2) | 237–248 |
| Félix-Medina, M.H., Analytical expressions for Rao–Blackwell estimators in adaptive cluster sampling | (1–2) | 221–236 |
| Fuji-Hara, R. and N. Miyamoto, Balanced arrays from quadratic functions | (1–2) | 285–293 |
| Ibrahim, J.G., *see* M.-H. Chen | (1–2) | 121–137 |
| Iyer, H.K., *see* C.T. Liao | (1–2) | 295–321 |
| Jeong, Y., Asymptotically optimal adaptive designs in factorial experiments | (1–2) | 263–283 |
| Jing, B.-Y., *see* G. Qin | (1–2) | 95–110 |
| Liao, C.T., C.H. Taylor and H.K. Iyer, Optimal balanced measurement designs when errors are correlated | (1–2) | 295–321 |
| Liu, S., Efficiency comparisons between the OLSE and the BLUE in a singular linear model | (1–2) | 191–200 |
| López-Blázquez, F., Bounds for the expected value of spacings from discrete distributions | (1–2) | 1– 9 |
| Ma, C., Convex orders for linear combinations of random variables | (1–2) | 11– 25 |
| Ma, Y. and N. Balakrishnan, Empirical Bayes estimation for truncation parameters | (1–2) | 111–120 |
| Miyamoto, N., *see* R. Fuji-Hara | (1–2) | 285–293 |
| Nayak, T.K., On best unbiased prediction and its relationships to unbiased estimation | (1–2) | 171–189 |
| Park, C.G., Likelihood ratio test for homogeneity of steady-state availabilities against order restrictions | (1–2) | 159–169 |
| Pfanzagl, J., On local uniformity for estimators and confidence limits | (1–2) | 27– 53 |
| Qin, G. and B.-Y. Jing, Asymptotic properties for estimation of partial linear models with censored data | (1–2) | 95–110 |
| Seleznjev, O., Spline approximation of random processes and design problems | (1–2) | 249–262 |
| Serfling, R., *see* Y. Zuo | (1–2) | 55– 79 |
| Shah, K.R., *see* A.A. Dharmadhikari | (1–2) | 237–248 |
| Shao, Q.-M., *see* M.-H. Chen | (1–2) | 121–137 |
| Srinivasan, C., *see* K. Viele | (1–2) | 201–219 |
| Subramanian, S., Efficient estimation of regression coefficients and baseline hazard under proportionality of conditional hazards | (1–2) | 81– 94 |
| Taylor, C.H., *see* C.T. Liao | (1–2) | 295–321 |
| Troendle, J.F., Stepwise normal theory multiple test procedures controlling the false discovery rate | (1–2) | 139–158 |
| Uddin, N., Optimal cylindrical-block designs for correlated observations | (1–2) | 323–336 |


* The issue number is given in front of page numbers

Elsevier Science B.V.

Viele, K. and C. Srinivasan, Parsimonious estimation of multiplicative interaction in analysis of variance using Kullback–Leibler Information (1–2) 201–219
Winterhof, A., On the non-existence of generalized Hadamard matrices (1–2) 337–342
Zuo, Y. and R. Serfling, On the performance of some robust nonparametric location measures relative to a general notion of multivariate symmetry (1–2) 55– 79